


Flat-Bottom Pouch gift box project

ex2-1242 / LETTER / Parts overview - NOT A CUTTING SHEET

USE THE FOLLOWING PATTERN SHEETS AT ACTUAL SIZE.

These miniature views identify the supplied patterns; they are deliberately reduced.



1. Pattern 1

1 pattern sheet supplied. Printed details are not cut lines unless explicitly marked.

Solid cut boundary / dashed score / shaded joining area. Read the full instructions.

Dry-fit the parts before gluing. Keep this overview beside the full-size pattern sheets.





Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Flat-Bottom Pouch gift box project

ex2-1242 / LETTER / Pattern 1

Four-panel gusseted paper pouch



Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Flat-Bottom Pouch gift box project

ex2-1242 / LETTER / Instructions

PURPOSE

Flat-Bottom Pouch gift box project developed as a fixed-size paper pattern with separate cut, fold and joining marks. Use the stated drawing sizes and make an empty trial before choosing material or contents.

DRAWING FACTS

- Front and back: 64 x 91 mm; two 12 mm gusset panels; flat base nominally 64 x 12 mm.
- Opposed bottom flaps project 8 mm each and overlap by 4 mm. Top fold-over band: 20 mm; side seam: 8 mm.

MATERIALS

Plain paper for a first trial, a ruler, scissors and a blunt scoring tool; adult help for internal cuts.

HOW TO USE THESE PAGES

1. Cut the net with all four attached bottom flaps. Score panel divisions, gusset centers, bottom hinges and the top band.
2. Fold the side panels inward on their middle lines, then reopen to the rectangular cross-section. Glue the 8 mm side seam inside the first panel.
3. Fold the two narrow dust flaps inward first. Fold the front and back bottom flaps over them; apply adhesive only where their final 4 mm overlap lands.
4. Let the base dry supported on a flat surface. Gently close the gussets using the bottom diagonal creases without crushing the base.
5. Fold the 20 mm top band down after loading only an expendable, dry, lightweight trial item. Verify closure and tearing before selecting final paper. This is a display pouch, not a carrying or shipping bag.

LIMITS AND CHECKS

- Nominal drawing dimensions are not a tested usable-capacity, load, mailing, food-contact or archival specification.
- Do not place valuable, wet, hot or breakable items in an unreviewed paper prototype.
- Trial: Measure the 50 mm reference and at least two named panel dimensions.
- Trial: Assemble an empty plain-paper trial; record closure, seam, clearance and material behavior.



50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.