


Photo Stack Wrap package specialty project

ex2-1260 / A4 / Parts overview - NOT A CUTTING SHEET

USE THE FOLLOWING PATTERN SHEETS AT ACTUAL SIZE.

These miniature views identify the supplied patterns; they are deliberately reduced.




1. Pattern 1

1 pattern sheet supplied. Printed details are not cut lines unless explicitly marked.

Solid cut boundary / dashed score / shaded joining area. Read the full instructions.

Dry-fit the parts before gluing. Keep this overview beside the full-size pattern sheets.




Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Photo Stack Wrap package specialty project

ex2-1260 / A4 / Pattern 1



Photo Wrap



Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Photo Stack Wrap package specialty project

ex2-1260 / A4 / Instructions

PURPOSE

Photo Stack Wrap package specialty project developed as a fixed-size paper pattern with separate cut, fold and joining marks. Use the stated drawing sizes and make an empty trial before choosing material or contents.

DRAWING FACTS

- Band strips: two 175 x 25 mm pieces with 15 mm end overlap.

MATERIALS

Plain paper for a first trial, a ruler, scissors and a blunt scoring tool; adult help for internal cuts.

HOW TO USE THESE PAGES

1. Cut the two 175 x 25 mm strips and use an expendable printed sample for fitting.
2. Wrap one strip around the sample and glue its 15 mm end zone to the other end of the strip. Keep adhesive off the sample; use the second strip only if another band is needed.
3. Slide the band off and check for rubbing or ink transfer. Use expendable samples; the paper and adhesive have no archival-storage approval.

LIMITS AND CHECKS

- Nominal drawing dimensions are not a tested usable-capacity, load, mailing, food-contact or archival specification.
- Do not place valuable, wet, hot or breakable items in an unreviewed paper prototype.
- Trial: Measure the 50 mm reference and at least two named panel dimensions.
- Trial: Assemble an empty plain-paper trial; record closure, seam, clearance and material behavior.



50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.