


Two-piece gift box with lid


One-piece base / retain shaded tabs



Base panel: 76 x 54 mm. Walls: 23 mm. Shaded corners join behind the adjacent walls.

Two-piece gift box with lid

Separate lid / trial clearance, not guaranteed fit



Lid panel: 78.4 x 56.4 mm. Nominal planar allowance: 1.2 mm on each side.

Two-piece gift box with lid


Assembly / solid = cut / dashed = fold

MAKE THE PROJECT

A fold-up tray with a 76 x 54 mm base panel and 23 mm walls. A separate, slightly larger lid is included.

YOU WILL NEED

Paper or light card, scissors, ruler, blunt scoring tool and paper adhesive.



Construction diagram

- 01 Cut the outer contour and keep the shaded corner tabs. Do not cut the dashed base or tab lines.
- 02 Pre-crease all dashed lines. Raise the four walls with printed markings toward the inside.
- 03 Glue each shaded tab behind its neighboring wall; keep the base flat and align the wall tops.
- 04 Assemble the larger lid using its own folds and tabs. Keep the base and lid clearly separated while drying.
- 05 Trial-fit the lid without forcing it. The 1.2 mm-per-side allowance is a starting geometry; different stock and folds can need adjustment.

Try the pattern on ordinary paper first. Nominal fold dimensions exclude paper thickness. No physical assembly, load-bearing, food-contact or shipping performance has been verified.