




Loyalty-card paper wallet

Back / closure flap and front



Loyalty-card paper wallet

Front and expanding strips




Loyalty-card paper wallet

Assembly and use / Print at actual size / Make a plain-paper trial

MAKE THE PROJECT

Make an expanding paper wallet for loyalty-card paper wallet, using the front, back, three pleated strips and two corner patches.



CONSTRUCTION SCHEMATIC

YOU WILL NEED

Plain paper for a trial; light card if suitable; ruler, scissors, blunt creasing tool and paper adhesive.

- 01 Print all matching pages at 100%. Measure a 50 mm reference. Cut solid outer outlines; keep joining tabs and score dashed folds.
- 02 Cut BACK with its closure flap, FRONT, two numbered side strips, the horizontal bottom strip and two small square corner patches.
- 03 Fold each strip along its three dashed lines: keep the outer 6 mm bands as glue flanges and push the central crease inward to make a V.
- 04 Glue one outer flange of the bottom strip inside the bottom of BACK. Attach one flange of each side strip along the side edges, aligned at the top.
- 05 Attach FRONT to the remaining strip flanges. Join the two small folded patches inside the bottom corners, keeping the central pleats free.
- 06 Let the joins dry. Gently open and collapse the gussets, insert a few paper records, then fold the closure flap over FRONT.

Keep the pleats free of glue. Trial-fit the actual records; use folded copies if needed. Store the completed wallet and any private information appropriately.