


Christmas-tree favor box

gif-167 / LETTER / Parts overview - NOT A CUTTING SHEET

USE THE FOLLOWING PATTERN SHEETS AT ACTUAL SIZE.

These miniature views identify the supplied patterns; they are deliberately reduced.



1. Pattern 1

1 pattern sheet supplied. Printed details are not cut lines unless explicitly marked.

Solid cut boundary / dashed score / shaded joining area. Read the full instructions.

Dry-fit the parts before gluing. Keep this overview beside the full-size pattern sheets.




Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.


Christmas-tree favor box

gif-167 / LETTER / Pattern 1


Body face





Back face



Body wall band 1/2



Body wall band 2/2



Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Christmas-tree favor box

gif-167 / LETTER / Instructions

PURPOSE

Christmas-tree favor box developed as a fixed-size paper pattern with separate cut, fold and joining marks. Use the stated drawing sizes and make an empty trial before choosing material or contents.

DRAWING FACTS

- Body face: 56.00 x 77.00 mm; traced perimeter 270.68 mm; wall depth 22 mm.

MATERIALS

Plain paper for a first trial, a ruler, scissors and a blunt scoring tool; adult help for internal cuts.

HOW TO USE THESE PAGES

1. Cut each face and numbered band with its small tabs attached. Score the tab hinges.
2. Join the numbered bands at their 8 mm seams in the printed order to form one complete wall strip.
3. Curve the wall strip around its matching face. Crease at actual outline corners and fit the small tabs behind the face before applying adhesive.
4. Glue one row of small tabs behind the first face. Align the second face with the remaining tabs and glue it on last to close the model.
5. Check every seam and corner on an empty trial. Do not stretch the band or force a tight lid to conceal a mismatch.

LIMITS AND CHECKS

- Nominal drawing dimensions are not a tested usable-capacity, load, mailing, food-contact or archival specification.
- Do not place valuable, wet, hot or breakable items in an unreviewed paper prototype.
- Trial: Measure the 50 mm reference and at least two named panel dimensions.
- Trial: Assemble an empty plain-paper trial; record closure, seam, clearance and material behavior.



50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.