

Removable presentation pull-tab strip

gif-211 / LETTER / Parts overview - NOT A CUTTING SHEET

USE THE FOLLOWING PATTERN SHEETS AT ACTUAL SIZE.

These miniature views identify the supplied patterns; they are deliberately reduced.



1. Pattern 1

1 pattern sheet supplied. Printed details are not cut lines unless explicitly marked.

Solid cut boundary / dashed score / shaded joining area. Read the full instructions.

Dry-fit the parts before gluing. Keep this overview beside the full-size pattern sheets.




50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Removable presentation pull-tab strip

gif-211 / LETTER / Pattern 1

Pull Tab



Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Removable presentation pull-tab strip

gif-211 / LETTER / Instructions

PURPOSE

Removable presentation pull-tab strip. A positioning/removal tab for a light paper insert, not a load-bearing lift-out handle.

DRAWING FACTS

- Band strips: one 170 x 25 mm strip; end fixing zones are not load tested.

MATERIALS

Plain paper for a first trial, a ruler, scissors and a blunt scoring tool; adult help for internal cuts.

HOW TO USE THESE PAGES

1. Cut the 170 x 25 mm strip and pre-fold its marked end zone.
2. Attach the shaded end zone to the back of an expendable lightweight paper insert. Leave the long remainder free as a removable positioning tab.
3. Pull gently while supporting the insert and check that the bond does not tear or mark it. The strip is not a carrying handle.

LIMITS AND CHECKS

- A positioning/removal tab for a light paper insert, not a load-bearing lift-out handle.
- Nominal drawing dimensions are not a tested usable-capacity, load, mailing, food-contact or archival specification.
- Do not place valuable, wet, hot or breakable items in an unreviewed paper prototype.
- Trial: Measure the 50 mm reference and at least two named panel dimensions.
- Trial: Assemble an empty plain-paper trial; record closure, seam, clearance and material behavior.



50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.