


Woven heart decoration

pap-083 / LETTER / Parts overview - NOT A CUTTING SHEET

USE THE FOLLOWING PATTERN SHEETS AT ACTUAL SIZE.

These miniature views identify the supplied patterns; they are deliberately reduced.



1. Pattern 1

1 pattern sheet supplied. Printed details are not cut lines unless explicitly marked.

Solid cut boundary / dashed score / shaded joining area. Read the full instructions.

Dry-fit the parts before gluing. Keep this overview beside the full-size pattern sheets.




Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.


Woven heart decoration

pap-083 / LETTER / Pattern 1

Weaving unit 1



Weaving unit 2



Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Woven heart decoration

pap-083 / LETTER / Instructions

PURPOSE

Woven heart decoration developed as a measured original paper study. The packet provides the actual parts, joining or shaping marks, drawing dimensions and an assembly sequence. Print at actual size and dry-fit the parts before gluing.

DRAWING FACTS

- Two 54 mm-wide loop blanks, each divided into three 18 mm strands.

MATERIALS

Plain 100 to 140 gsm paper for a first dimensional trial; approximately 160 to 220 gsm card only after confirming the folds. Use a ruler, suitable scissors, a blunt scoring tool and a small amount of paper adhesive. An adult should handle internal cuts, holes and small fasteners.

HOW TO USE THESE PAGES

1. Cut both outlines and the two internal slits in each. Score and fold the midpoint so the rounded ends meet and the three strand loops stay intact.
2. Place the two folded units at right angles. Weave the first strand alternately through a loop of the other color and around the next loop.
3. Reverse the through/around order for the second strand, then repeat the first order for the third. Keep both layers of each loop open while threading.
4. Ease the woven square together so the two rounded ends form the heart top. Check every crossing and the open pocket without pulling against a slit end.

LIMITS AND CHECKS

- Drawing dimensions describe flat paper surfaces, not verified internal capacity, load strength, fit or material compatibility.
- No mailing, food-contact, archival, toy-safety, protective-wear or cutting-machine certification is supplied.
- Make a plain-paper trial first; paper thickness and fold accuracy can change the fit.
- Trial: Measure the 50 mm reference and two named component dimensions.
- Trial: Make a complete empty trial and document fold direction, joining order, collision, stability and any fragile features.
- Trial: Repeat the trial using your chosen paper. Check that every join holds and each moving part works freely before decorating.



50 mm print check

Print at actual size / 100%. Disable fit-to-page.

Use the paper edition that matches the printer tray.